

## MATERIAL SAFETY DATA SHEET

The information contained within this MSDS details health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user of this product should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Gripset Industries Pty Ltd. Gripset Industries Pty Ltd makes no representation as to the completeness and accuracy of the data contained in this data sheet. It is the user's obligation to evaluate and use this product safely, and to comply with all relevant Federal, State and Local Government laws and regulations. Gripset Industries Pty Ltd shall not be responsible for loss, damage or injury resulting from reliance upon or failure to adhere to any recommendation or information contained herein, from abnormal use of the material, or any hazard inherent in the nature of the material.

### STATEMENT OF HAZARDOUS NATURE

**Not classified as hazardous according to criteria of Worksafe Australia.**

### COMPANY DETAILS

Company	:	Gripset Industries Pty Ltd A.C.N. 137 930 093
Address	:	30-32 Park Avenue, Woodville North SA 5012, Australia
Telephone numbers	:	+61 (8) 8124-7300 or 1800 650 435
Facsimile number	:	+61 (8) 8124-7350

### IDENTIFICATION

Product Name	:	Gripset WB1
Other Names	:	None
Manufacturer's Product Code	:	GSWB1
UN Number	:	None assigned
Dangerous Goods Class	:	None assigned
Subsidiary Risk	:	None assigned
Shipping Name	:	None assigned
Hazchem Code	:	None assigned
Poisons Schedule Number	:	None assigned

### Use

Major recommended uses	:	Natural wood preservative and repair compound
------------------------	---	---

### Physical Description / Properties

Appearance	:	Wet – Ochre; Dry – clear film
Boiling Point (°C)	:	>100°C approx. (water)
Vapour Pressure	:	As for water
Specific Gravity	:	1.3 (water = 1)
Flashpoint (°C)	:	Not Applicable
Flammability Limits	:	Not Applicable
Solubility in Water	:	Not Applicable
pH:		11.5

### Other Properties

Form	:	Liquid
Stability	:	Considered Stable
Hazardous Polymerisation	:	Will not occur
Materials to avoid	:	Strong acids & materials that react on alkalinity

### Ingredients

Betta Wood Cure is a 100% natural product containing renewable plant raw materials and silicates

*\*All ingredients are determined not to be hazardous, including water to 100%*

## MATERIAL SAFETY DATA SHEET

### HEALTH HAZARD INFORMATION

#### Health Effects

##### Acute:

Swallowed	: No data supplied, but product is not expected to be harmful.
Eye	: May be an eye irritant.
Skin	: Prolonged or repeated contact with skin may result in slight skin irritation.

#### First Aid

Swallowed	: Give plenty of water. Seek medical assistance.
Eye	: Immediately flush with large amounts of water for at 5-10 minutes; lifting upper and lower lids. Seek medical attention if irritation persists.
Skin	: Wash with plenty of water and soap. Seek medical attention if irritation persists.
First Aid Facilities	: Ensure availability of eye wash fountains and/or water access.
Advice to Doctor	: Treat symptomatically.

### PRECAUTIONS FOR USE

#### Personal Protection

Respirator Type (AS/NZS 1716)	: N/A
Glove Type	: Neoprene/rubber gloves.
Eye Protection	: Safety glasses as appropriate.
Clothing	: Protective clothing to cover body parts, e.g. long sleeved overalls or similar; and boots.
Other	: Wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.

#### Flammability

Fire Hazards	: Product is non flammable according to the Australian Code for the Transport of Dangerous Goods.
--------------	---

### SAFE HANDLING INFORMATION

#### Storage & Transport

Location	: Store in a cool area
Temperature Conditions	: Best stored at room temperature; Prevent from freezing.
Protection from Weather	: Store undercover and away from heat sources.
Storage Incompatibilities	: Not to be stored in containers made of zinc, aluminium or other lightweight metals affected by high alkaline solutions

#### Spills & Disposal

Clean Up Spills / Leaks	: <i>Small spills:</i> Wipe up and wash area with water. <i>Large spills:</i> Dike and contain spill with sand or earth. Clean up before the material dries. Absorb the liquid with sand, earth or other absorbent.
Disposal	: Dispose of in accordance with Local, State and Federal regulations.
Precautions for Clean Up Crew	: Nitrile rubber or PVC gloves.

#### Fire / Explosion Hazard

Hazard of Use / Storage	: Product will not support combustion. Polymer will burn in a general fire, once all the water has been driven off.
List of Dangerous Decomposition or Combustion Products	: N/A
Types of Extinguisher	: N/A
Precautions	: N/A
Protective Clothing	: None
Reactivity	: None

## MATERIAL SAFETY DATA SHEET

### OTHER INFORMATION

Ecology	: N/A
Packaging & Labelling	: In 5 & 15 litre pails

### CONTACT POINT

Gripset Technical Department	: +61 (8) 8124-7300 or 1800 650 435
Australia Poisons Information Centre	: 13 11 26
Police & Fire Brigade:	: 000